

# Stagg®

#EasyLightingSolutions

Audio & Lighting

**New Products**  
NAMM 2019



**Stagg**

**Stagg** Kids

**Stagg** +

**Stagg**  
Audio & Lighting

Stagg is a global brand of instruments, audio and lighting, and accessories based in Brussels, Belgium. Designed by specialists, we offer a wide range of products, from guitars to mandolins, cymbals to hand drums, clarinets to violins, and plenty of accessories. By offering quality instruments and accessories at an affordable cost, we want to inspire a lifelong journey in music. Stagg Gets You Playing.

At Stagg, we believe music knows no age. That's why we've developed a complete range of educational instruments that are fun, creative and inspiring for kids and adults of all ages.

Designed by specialists to include premium features, the Stagg + family provides quality products at moderate prices to support a lifelong journey in music.

For amateurs and professionals looking to source the right lighting and audio equipment, we've created a universe just for them. From PAs to lighting fixtures, we're constantly working to offer the best choice with a focus on keeping it simple, because less is more.

**New Products**  
NAMM 2019

## LightTheme™

<b>STARTER SET</b>	6
Washes	
<b>ECOPAR6</b>	8
<b>KINGPAR60</b>	9
<b>KINGPAR200</b>	9
Effects	
<b>DERBY</b>	10

## Stage Lights

Washes	
<b>ECOPAR630</b>	12
<b>KINGPAR78</b>	13
<b>KINGPAR302</b>	13
<b>TRUSS34</b>	14
<b>BAT34</b>	14
<b>BATXS</b>	15
<b>BAT48</b>	<b>15</b>
Effects	
<b>BARYONIC24</b>	16
<b>UV8</b>	17
<b>UV12</b>	17
<b>UV24</b>	18
<b>TRANCE40</b>	19
<b>TRANCE50</b>	19
<b>TRANCE60</b>	20
Bars	
<b>FLATPARXS</b>	21
<b>FLATPAR3</b>	21
<b>FLATPARDERBY</b>	22
LED Moving Heads	
<b>TAGGER30</b>	23
<b>TAGGER60</b>	23
<b>HYPERION90</b>	24

## Microphones

<b>SUM20</b>	26
<b>SUM40</b>	27
<b>SCM300</b>	29
<b>SIM20</b>	30




# Professional Light Shows at Your Fingertips!

**LightTheme™ is a new lighting system that eliminates the addressing and programming elements of lighting setups.**


From small bars to large stages, LightTheme™ is designed for easy setup and use. For nontechnical people, it can help create an impressive lighting atmosphere effortlessly. LightTheme™ is also great for pros looking to save time, money, and the added stress of complicated lighting systems. As a bonus, it runs smoothly alongside conventional setups. With tap tempo control and sound-to-light, it can operate a wide range of fixtures available from the LightTheme™ product family. Plugged in conjunction with uplighters, wash lights, effects and moving heads, LightTheme™ colours your event with intensity and movement perfectly suited to the moment.



## Daisy Chain Example:



## Theme Group Example:



## The Remote


**Nine pages of nine preprogrammed themes, dance styles, moods, colours and intensities – all quickly accessible with an ergonomic playback keyboard.**

Functionality includes Play/Pause, Page Selection, Blackout, Tempo Operations and Autopage. Connectivity includes DMX In/Out XLR's, LightTheme™ Out XLR, 6,35 Audio In and USB.

## The Fixtures

**LightTheme™ works with a wide range of components: parcans, moving heads, and much more.**

No DMX addressing and no multichannel setups! Just select the light's group: A or B! LightTheme™ compatible lights can also handle standard DMX mixers or work as a standalone device in colour mode.



## LightTheme™ Starter Set

No DMX Knowledge Required  
Plug & Play  
No Programming Time  
Professional Light Show



### LightTheme™ Remote (SLTRemote)

*The heart of the LightTheme™ system.*

**Nine pages of nine preprogrammed themes, dance styles, moods, colours and intensities – all quickly accessible via the ergonomic playback keyboard.**

Functionality includes Play/Pause, Page Selection, Blackout, Tempo Mode and Autopage.  
Connectivity includes LightTheme™ Out XLR, Audio In/Pedal 6,35 Plug, DMX In/Out XLR's and USB.

The heart of the LightTheme™ system

9 themes/page

9 pages

Autopage function

Tempo mode: Tap, Pedal, Mic, Audio in, Manual

Pedal or audio input: 6.35 mm plug

LightTheme™ out: XLR

DMX in and thru: XLR

Power supply included



### 4 x Ecopar 6 LT (SLTEcopar6) LightTheme™ ECOPAR 6 spotlight with 6 x 10-watt RGBWA (5 in 1) LED

LED: 6 x 10 watts 5 in 1  
(red, green, blue, white, amber)

Illuminance: 5500 LUX at 1 m

Beam angle: 25°

Protocol: LightTheme™ or  
DMX512 (2, 4, 7 or 8 channels),

Functions: LightTheme™, Auto themes (19),  
Slave A/B, RGBWA colour changing, dimmer,  
strobe, DMX

Display: 4-digit

Housing: Plastic

Fixation: 2 brackets (to hang or lay the spotlight)

Input and output: 3-pin DMX and IEC in and out

Use: Indoor

Power consumption: 65 watts



### LightTheme™ Bag

5 compartments

2 side pockets

Dimensions: 60 x 30 x 30 cm  
(23,6 x 11,8 x 11,8")

### 3 x SDX1,53

Type: DMX cable  
Connectors: XLR male /  
XLR female

Colour: Black  
Length: 1,5 m (5')

### 1 x SDX103

Length: 10 m (33')

4 DMX cables included

**LIGHT  
THEME  
READY™**

SLT START SET

**Stagg**





## ECOPAR6

### LightTheme™ ECOPAR 6 spotlight with 6 x 10-watt RGBWA (5 in 1) LED

LED: 6 x 10 watts 5 in 1 (red, green, blue, white, amber)

Illuminance: 5500 LUX at 1 metre

Beam angle: 25°

Control modes: DMX512 (2, 4, 7 or 8 channels), auto, sound, LightTheme™

Functions: RGBWA colour changing, dimmer, strobe, LightTheme™

Display: 4-digit

Housing: Plastic

Fixation: 2 brackets (to lay or fix the spotlight to the truss)

Input and output: 2 x 3-pin DMX (male and female), 2 x IEC (male and female)

Cooling: Fan

Use: Indoor

Power consumption: 65 watts

Dimensions: 23,3 x 27,1 x 32 cm (9,2 x 10,6 x 12,6")

Weight: 2 kg (4,4 lb)



SLT ECOPAR6

Stagg



## KINGPAR60

with 1 x 60-watt RGB COB LED

LED: 1 x 60 watts (red, green, blue)

Illuminance: 2200 lux at 3 metres (10')

Beam angle: 40°

Power consumption: 100 watts

Dimensions: 26 x 26 x 36 cm

(10.2 x 10.2 x 14.2")

Weight: 2.5 kg (5.5 lb)

### General Features:

Control modes: DMX512 (2, 3, 5 or 6 channels),

sound, master/slave, LightTheme

Functions: Dimmer, strobe, auto colour changing,

sound active,

RGB colour changing

Display: 4-digit

Housing: Aluminium



SLKP

Stagg



## KINGPAR200

with 1 x 200-watt RGB COB LED

LED: 1 x 200 watts (red, green, blue) COB LED

Illuminance: 6250 lux at 1 metre (3')

Beam angle: 48°

Power consumption: 240 watts

Dimensions: 30 x 30 x 40 cm

(11.8 x 11.8 x 15.7")

Weight: 4 kg (8.8 lb)

Fixation: 2 brackets

(to lay the spotlight or fix it to the truss)

Input and output: 2 x 3-pin DMX

(male and female),

2 x power plug (in and out)

Cooling: Fan

Use: Indoor

Not included: LightTheme™ remote control



## DERBY

### 6 x 2-watt RGBWAP (6in1) LED

Source: 6 x 2 watts RGBWAP 6in1 LED

Strobe: 20Hz

Controls: LightTheme™ compatible, DMX 512 (9 channels), auto, sound, manual

Connectors: 3-pin XLR male and female, IEC.

Display: 4-digit

Housing: Metal

Cooling: Fan

Use: Indoor

Input voltage: AC100240V,5060HZ (Power supply switch)

Power consumption: 40 watts


Size: 26cm x 22cm x 24cm (10,2"x 8,7"x 9,5")

Weight: 1,25kg (2,76lb)



SLT DERBY

Stagg



# Stage Lights!

Stagg is back with a full line of energy efficient, user-friendly, dynamic stage lights. From **Ecopars** to **LED bars**, **truss lights** to **gobo moving heads**, this powerful and versatile range suits a wide variety of stage applications.



# ECOPAR630

## Flat ECOPAR 6 spotlight with 6 x 30-watt LED

LED: 6 x 30 watts  
 Protocol: DMX-512 (8 channels)  
 Functions: Dimmer (0-100 %), strobe (0-20 Hz), auto, sound control, master/slave  
 Display: 4-digit  
 Housing: ABS  
 Fixing: 2 brackets (to hang or lay the spotlight)

Input and output: 3-pin DMX and IEC  
 Cooling: Low-noise fan  
 Use: Indoor  
 Power consumption: 200 watts  
 Dimensions: 21.5 x 21 x 10 cm (8.5 x 8.3 x 3.9")  
 Weight: 1.5 kg (3.3 lb)



SLI-ECOP63031  
**Stagg**

### RGB (3 in 1) LED

Protocol: DMX512 (7 channels)



SLI-ECOP63041  
**Stagg**

### RGB (4 in 1) LED

Protocol: DMX512 (8 channels)



## KINGPAR78

### King Par with 7 x 8-watt RGBWAUV (6 in 1) LED

LED: 7 x 8 watts  
 (red, green, blue, white, amber, UV)

Control modes: DMX512 (10 channels), sound, master/slave, automatic mode

Functions: RGBWAUV colour changing, dimmer, strobe, auto colour changing, sound active

Dimensions: 31.9 x 19 x 15 cm (7.5 x 7.5 x 5.9")

Weight: 1 kg (2.2 lb)

#### General Features:

- Display: 4-digit
- Housing: ABS
- Fixing: 2 brackets (to lay the spotlight or fix it to the truss)
- Input and output: 2 x 3-pin DMX (male and female), 2 x power plug (in and out)
- Cooling: Fan
- Use: Indoor
- Power consumption: 70 watts

SLKP78-61  
**Stagg**



## KINGPAR302

### King Par with 30 x 2-watt RGBAUUV mixed LED

LED: 30 x 2 watts mixed  
 (red, green, blue, amber and UV)

Control modes: DMX512 (9 channels), sound, master/slave, automatic mode

Functions: RGBAUUV colour changing, dimmer, strobe, auto colour changing, sound active

Dimensions: 19 x 19 x 15 cm (7.5 x 7.5 x 5.9")

Weight: 1 kg (2.2 lb)

SLKP302M5  
**Stagg**





**TRUSS34**

**Truss lighting with 3 x 4-watt (4 in 1) RGBW LED**

LED: 3 x 4 watts  
 Illuminance: 1866 lux at 2 metres (96,6")  
 Beam angle: 30°  
 Protocol: DMX512 (4, 6 or 8 channels)  
 Functions: Dimmer (0100 %), strobe (020 Hz), auto, sound control, master/slave, remote control  
 Display: 4-digit  
 Housing: Metal  
 Fixing: 3 x M10 and 1 x M12 threaded holes  
 Input and output: 3-pin DMX and IEC in and out  
 Cooling: No fan  
 Use: Indoor  
 Power consumption: 20 watts  
 Dimensions: 10.8 x 10.8 x 10.4 cm (4.3 x 4.3 x 4.1")  
 Weight: 0.6 kg (1.3 lb)  
 Included: Remote control

SLI-TRUSS34

Stagg



**BAT34**

**Battery-powered truss lighting with 3 x 4-watt (4 in 1) LED**

LED: 3 x 4 watts  
 Illuminance: 1866 lux at 2 metres (96,6")  
 Beam angle: 30°  
 Protocol: DMX512 (4, 6 or 8 channels)  
 Functions: Dimmer (0100 %), strobe (020 Hz), auto, sound control, master/slave, remote control  
 Display: 4-digit  
 Housing: Metal  
 Fixing: 3 x M10 and 1 x M12 threaded holes  
 Input and output: 3-pin DMX and IEC in and out  
 Cooling: No fan  
 Use: Indoor  
 Power consumption: 20 watts  
 Dimensions: 10.8 x 10.8 x 17.2 cm (4.3 x 4.3 x 6.8")  
 Weight: 1.13 kg (2.5 lb)  
 Included: Remote control

**Battery: Lithiumion 4400 mA**  
**Battery life: Up to 12 hours**  
**Recharge time: Maximum 5 hours**

SLI BAT-34

Stagg



**BATXS**

**Battery-powered ECOPAR XS spotlight with 12 x 1-watt R/G/B/W LED**

LED: 12 x 1 watt (3 x red, 3 x green, 3 x blue, 3 x white)  
 Beam angle: 25°  
 Protocol: DMX512 (8 channels)  
 Functions: Dimmer, strobe, auto, sound control, RGBW colour changing, remote control  
 Display: 4-digit  
 Housing: ABS  
 Fixing: 1 adjustable bracket (to hang or lay the spotlight)  
 Input and output: 3-pin DMX  
 Compatibility: Commandor 4 and 10 or any DMX device  
 Cooling: Silent fan  
 Use: Indoor  
 Power consumption: 25 watts

SLI-BAT XS

Stagg



**BAT48**

**Battery-powered PARcan 4 x 8-watt (6 in 1) LED with wireless DMX**

LED: 4 x 8 watts  
 Illuminance: 833 lux at 3 metres (11.8')  
 Beam angle: 40°  
 Protocol: DMX512 (3, 4, 6, 9 or 11 channels)  
 Functions: Dimmer (0100 %), strobe (020 Hz), auto, sound control, master/slave, wireless DMX  
 Display: Graphic  
 Housing: Metal  
 Fixing: Floor stand or bracket  
 Input and output: 3-pin DMX and IEC in and out  
 Battery: Lithiumion 4400 mA  
 Battery life: Up to 12 hours  
 Recharge time: Maximum 5 hours  
 Cooling: No fan  
 Use: Indoor  
 Power consumption: 42 watts  
 Dimensions: 15 x 15 x 25 cm (5.9 x 5.9 x 9.8")  
 Weight: 2.5 kg (5.5 lb)  
 Included: Remote control

SLI BAT-48

Stagg



# BARYONIC24

## Architectural colour bar with 24 x 4-watt (4 in 1) RGBW LED

Control modes: DMX 512, master/slave, sound active, automatic, remote control

Functions: Colour chaser, strobe and colour mix

Connectivity: 3-pin XLR cable and IEC

Display: 4-digit

LED control: Group of 3

Power consumption: 100 watts

Dimensions: 110 x 10 x 10 cm (43.3 x 3.9 x 3.9")

Weight: 4 kg (8.8 lb)

Included: mounting feet

SLB 244-41

Stagg



## UV8



### UV LED bar 8 x 3 watts, 45 cm

LED: 8 x 3 watts UV

Housing: Metal

Fixing: 2 feet

Cooling: No fan

Use: Indoor

Power consumption: 30 watts

Dimensions: 45 x 7 x 7 cm (17.7 x 2.8. x 2.8")

Weight: 0.6 kg (1.3 lb)



SLE-UV83

Stagg

## UV12



### UV LED bar 12 x 3 watts, 75 cm

LED: 12 x 3 watts UV

Housing: Metal

Fixing: 2 feet

Cooling: No fan

Use: Indoor

Power consumption: 40 watts

Dimensions: 75 x 7 x 7 cm (30 x 2.8. x 2.8")

Weight: 0.9 kg (2 lb)



SLE-UV123

Stagg

## UV24

**UV Washer, 24 x 3 watts, 65°, DMX**

LED: 24 x 3 watts UV  
 Illuminance: 230 LUX at 1 metre (3')  
 Beam angle: 65°  
 Housing: Metal  
 Fixing: 1 bracket  
 Cooling: Silent fan  
 Use: Indoor  
 Power consumption: 100 watts  
 Dimensions: 31 x 18 x 12 cm (12.2 x 7 x 4.7")  
 Weight: 2 kg (4.4 lb)



SLE-UV243

Stagg

## TRANCE40

**Multi-effects box with red and green lasers, derby, colour wash and discoball**

Wash LED: 8 x 1 watt  
 (2 x red, 2 x green, 2 x blue, 2 x amber)  
 Ball LED: 6 x 3 watts (2 x red, 2 x green, 2 x blue)  
 Derby LED: 2 x 10 watts (red, green, blue, white)  
 Red laser: 100 mW Green laser: 30 mW  
 Laser class: 3R  
 Protocol: DMX512 (22 channels)  
 Functions: Dimmer (0-100 %), strobe (0-20 Hz), auto,  
 sound control, master/slave  
 Display: 4-digit



Housing: Metal  
 Fixation: 1 bracket  
 Input and output: 3-pin DMX and IEC  
 Cooling: Lownoise fan  
 Use: Indoor  
 Power consumption: 66 watts  
 Dimensions: 45 x 30 x 21 cm (17.7 x 11.8 x 8.3")  
 Weight: 4 kg (8.8 lb)



SLE-TRANCE40

Stagg

## TRANCE50

**Multi-effects box with red and green lasers, derby, colour wash and flower gobo**

Wash LED: 8 x 1 watt  
 (2 x red, 2 x green, 2 x blue, 2 x amber)  
 Ball LED: 6 x 3 watts (2 x red, 2 x green, 2 x blue)  
 Derby LED: 2 x 10 watts (red, green, blue, white)  
 Red laser: 100 mW Green laser: 30 mW  
 Laser class: 3R  
 Protocol: DMX512 (22 channels)  
 Functions: Dimmer (0-100 %), strobe (0-20 Hz), auto,  
 sound control, master/slave  
 Display: 4-digit




Housing: Metal  
 Fixation: 1 bracket  
 Input and output: 3-pin DMX and IEC  
 Cooling: Lownoise fan  
 Use: Indoor  
 Power consumption: 66 watts  
 Dimensions: 45 x 30 x 21 cm  
 (17.7 x 11.8 x 8.3")  
 Weight: 4 kg (8.8 lb)



SLE-TRANCE50

Stagg



# TRANCE60

**Multi-effects box with red and green lasers, derby, colour wash and LED flower**

Wash LED : 9 x 4 watts (red, green, blue, amber)  
 Flower LED: 84 x 0.75 watt (24 red, 18 green, 18 blue, 24 amber)  
 Strobe LED: 12 x 0.5 watt (white)  
 Red laser: 100 mW Green laser: 30 mW  
 Laser class: 3R  
 Protocol: DMX512 (11 or 23 channels)  
 Functions: Dimmer (0100 %), strobe (020 Hz), auto, sound control, master/slave, remote control  
 Display: 4-digit  
 Housing: Metal  
 Fixing: 1 bracket  
 Input and output: 3-pin DMX and IEC  
 Cooling: Lownoise fan  
 Use: Indoor  
 Power consumption: 70 watts  
 Dimensions: 32 x 35 x 29 cm (12.6 x 13.8 x 11.4")  
 Weight: 2.6 kg (5.7 lb)



SLE-TRANCE60

Stagg



## FLATPARXS

### Performer set with 4 PAR 12 x 1 watt M4 RGBW

Type: Light set with 4 flat PAR spotlights  
 LED: 4 x 12 RGBW LED, 1 watt per LED  
 Beam angle: 25°  
 Control modes: DMX512 (3, 6 or 15 channels), master/slave, auto, sound  
 Functions: Dimmer, strobe, auto, RGBW colour changing, remote control  
 Display: 4-digit  
 Housing: ABS  
 Fixing: Ready for standard 35 mm diameter pole

Inputs and outputs: 2 x 3-pin DMX (male and female), IEC  
 Cooling: Lownoise fan  
 Use: Indoor  
 Power consumption: 60 watts  
 Dimensions: 90 x 16 x 8 cm (35.4 x 6.3 x 3.2")  
 Set weight: 5.5 kg (11 lb)  
 Included: Remote control and stand

SLB 4P121-M41

Stagg



## FLATPAR3

### Performer light set RGB 48 watts

Performer light set RGB 48 watts  
 Type: Light set with 4 flat PAR spotlights  
 LED: 4 x 3 RGBW (4 in 1), 4 watts per LED  
 Control modes: DMX512 (8 channels), master/slave, auto, sound  
 Functions: Dimmer, strobe, auto, RGBW colour changing  
 Display: 4-digit  
 Housing: ABS  
 Fixing: Ready for standard 35 mm diameter pole


Inputs and outputs: 2 x 3-pin DMX (male and female), IEC  
 Cooling: Lownoise fan  
 Use: Indoor, IP20  
 Power consumption: 60 watts  
 Dimensions: 66 x 15 x 80 cm (26 x 5.9 x 31.5")  
 Set weight: 5.5 kg (22.1 lb)  
 Included: Remote control and stand

SLB 4P34-41

Stagg







**FLATPARDERBY**

**Performer light set with 2 ECOPAR XS and 2 DERBYS**

Type: Light set with 2 flat PAR spotlights and 2 derbys effects

PAR's LED: 2 x 12 RGBW LED, 1 watt per LED

PAR beam angle: 25°

Derby's LED: 2 x 4 RGBW LED, 3 watts per LED

Control modes: DMX512 (3, 6 or 15 channels), master/slave, auto, sound

Functions: Dimmer, strobe, auto, RGBW colour changing, remote control

Display: 4-digit

Structure: Aluminium

Fixtures: ABS

Fixing: Ready for standard 35 mm diameter pole

Inputs and outputs: 2 x 3-pin DMX (male and female) power plug

Cooling: Lownoise fan

Use: Indoor

Power consumption: 55 watts

Dimensions: 90 x 16 x 34 cm (35.4 x 6.3 x 13.4")

Set weight: 5.7 kg (12.6 lb)

Included: Remote control and stand



**TAGGER30 & 60**

**Gobo moving head with 30 or 60-watt COB LED, 8 colours, 7 gobos**

LED: 1 x 30 or 60 watts, white

Colour wheel: 7 colours + white

Gobos: 7, fixed + open with shake

Focus: Manual

Beam angle: 13°

Protocol: DMX-512 (9 or 11 channels)

Control modes: DMX, automatic, sound mode or manual setup

Movement: Pan (540°), tilt (270°)

Function: Strobe (0-10 Hz)

Display: 4-digit

Input and output: 3-pin XLR and IEC


Use: Indoor

Power consumption: 35 or 65 watts

Dimensions: 29 x 26 x 21 cm (11.4 x 10.2 x 8.3")

Weight: 3 kg (6.6 lb)

Included: Hanging bracket





## HYPERION90

**Gobo moving head with 90-watt COB LED, 8 colours, 6 rotating and 8 fixed gobos, prism**

LED: 1 x 90 watts, white

Colour wheel: 7 colours + white

Gobos: 1 wheel of 6 rotating gobo + 1 wheel of 8 fixed gobos

Prism: 3-facet, rotating

Focus: Motorised

Protocol: DMX-512 (16 channels)

Control modes: DMX, automatic, sound mode or manual setup

Movement: Pan (540°), tilt (270°)

Function: Strobe (0-10 Hz)

Display: 4-digit

Input and output: 3-pin XLR and power plug

Use: Indoor

Power consumption: 100 watts

Dimensions: 48 x 29 x 29 cm (18.9 x 11.4 x 11.4")

Weight: 9 kg (19.8 lb)

Included: Hanging brackets

Gobos:



Colours:



SLIMHBHYP90

Stagg



# Microphones

Discover our new line of flexible, solid, great sounding microphones that excel in multiple recording and performance settings. Sound solutions from Stagg Audio.

**USB DYNAMIC**  
MICROPHONE SET

This USB dynamic cardioid microphone is ideal for beginner vocalists and podcasters looking for warm and focused sound. Affordable and easy to use, this plug and play mic features a smooth and extended frequency response.



Includes: Holder, desktop stand, USB cable



**Special Features**

- Polar pattern: Cardioid
- Capsule: Dynamic
- Sensitivity: 53dB ±3dB
- Frequency Range: 70Hz to 15 kHzMax
- SPL: 93dB
- Compatible: with Windows and Mac OSX without additional driver
- Color: Black
- Includes: Holder, desktop stand, USB cable



**USB CONDENSER**  
MICROPHONE

This USB black electret condenser microphone is perfect for musicians needing to record vocals and instruments alike. This clear and impressive sounding mic features smooth frequency response.



**Special Features**

- Capsule: Condenser
- Polar pattern: Cardioid
- Frequency range: 50HZ18Khz
- Sensitivity: 42db + 3db
- Signal to noise ratio: 75db
- USB: Type B connector
- Miniplug: 3.5mm headphone output
- Color: Black





## UNIVERSAL CONDENSER MICROPHONE

This all-purpose mic is ideal for vocal and acoustic guitars, but its solid resistance to high-frequency sounds makes it great for hi-hats, other acoustic instruments, or as overheads. With naturally clear and clean sound reproduction, it is a solid, versatile choice for all your live and on stage needs.



SCM300

Stagg

### Special Features

Included accessory: Rubber Suspension  
 Polar pattern: Cardioid  
 Capsule: Back Electret Condenser  
 Sensitivity: 45dB  $\pm$ 3dB  
 Frequency Range: 50Hz to 18 kHz  
 Max SPL: 144dB  
 Output impedance: 200 $\Omega$   
 Signal to noise ratio: 75dB  
 Phantom power: 12v to 52v  
 Low Frequency attenuation: 12db/octave at 100Hz  
 Pad: 14dB  
 Colour: Black

## MINIATURE GOOSENECK INSTRUMENT MICROPHONE

A flexible, fully adjustable gooseneck microphone designed for easy replacement and adaptable to any angle. Featuring a wide frequency response and superb natural sound, this compact and lightweight mic is a great addition to any audio setup.



### Special Features

Included: Main clip and 48v XLR phantom power adapter  
 Polar pattern: Cardioid  
 Capsule: Back Electret Condenser  
 Sensitivity: 45dB  $\pm$ 3dB  
 Frequency Range: 50Hz to 18 kHz  
 Max SPL: 130dB  
 Output impedance: 200 $\Omega$  at 1kHz  
 Signal to noise ratio: 70dB  
 Gooseneck length: 16 cm (6.3")  
 Net weight: 85g  
 Colour: Black

SIM20

Stagg



# EXPERIENCED SALES REPRESENTATION

THE UNITED STATES, CANADA, UK, GERMANY,  
SWITZERLAND, FRANCE, AUSTRIA, IRELAND & BENELUX



remo.com

BOOTH: #6822



BOOTH: #5344



BOOTH: #7810

Stagg®

BOOTH: #7410



BOOTH: #7410



BOOTH: #7410



BOOTH: #12506



BOOTH: #12506



BOOTH: #7410



BOOTH: #7410

Gold Tone®

BOOTH: #1906



BOOTH: #2302

KUPPMEN  
MUSIC

BOOTH: #7410

Angel Lopez

BOOTH: #7410

EMD  
MUSIC